



Powered By

 **gandhar**
oil refinery (india) ltd.



AUTOMOTIVE LUBRICANTS



ABOUT US

Texol Lubritech FZC is part of Gandhar Oil Refinery India Ltd. (GORIL) which is a 29 plus year-old group specialized in oil and petroleum products. The group has a turnover of USD 650 million and a staff strength of over 500 employees. GORIL has two manufacturing plants located at Taloja, Maharashtra & Silvassa (Union Territory) bordering the state of Gujarat in India.

Texol is the group's third plant founded in 2017 in UAE and operates a hybrid lube blending plant with an annual capacity of 200,000 MT.

Texol's product range includes high-performance Transformer Oils, White Oils, Heavy & Light Liquid Paraffin, Petroleum Jelly, Industrial & Automotive Lubricants, and Greases.

Texol markets its products globally through a network of authorized distributors in each country.





CONTENTS

01 Petrol Engine Oils 04

Fully Synthetic - Texol Ultra Max
Semi Synthetic - Texol Ultra S
Multigrade - Texol Ultra X
Monograde - Texol Ultra

02 Diesel Engine Oils 06

Fully Synthetic - Texol Super Duty Max
Semi Synthetic - Texol Super Duty S
Multigrade - Texol Super Duty Plus
Monograde - Texol Super Duty

03 Motorcycle Oils 08

4T Synthetic Oils
4T Mineral Oils
2 Stroke Outboard Oils

04 CNG Oils 09

05 Automatic Transmission Fluids 10

Synthetic
Mineral

06 Gear Oils 11

Synthetic
Multigrade
Monograde

07 Coolants 12

08 Brake Fluids 13

09 Greases 13



PETROL ENGINE OILS


FULLY SYNTHETIC - TEXOL ULTRA MAX

Texol® Fully Synthetic API approved petrol engine oils are energy-efficient motor oils, made with high quality hydro-cracked & hydro-treated base oils and additives with proven performance. The base oils provide excellent lubricity and oxidation resistance. It is designed for use in modern gasoline engines, passenger cars, SUVs, vans.

■ Texol Ultra Max Range :

- SAE 0W20 API SP
- SAE 0W30 API SP
- SAE 5W20 API SP
- SAE 5W30 API SP
- SAE 0W20 API SN
- SAE 0W30 API SN
- SAE 5W20 API SN
- SAE 5W30 API SN
- SAE 5W40 API SN

AVAILABLE PACKAGES




SEMI SYNTHETIC - TEXOL ULTRA S

Texol® Semi-Synthetic petrol engine oils are made with high quality solvent refined, hydro-cracked & catalytic de-waxed base oils. These base oils are blended with additives of proven performance. The base oils provide excellent lubricity and oxidation resistance. Texol® semi-synthetic engine oil meets the requirements of almost all the engines in passenger cars running on multiple fuels like Gasoline, Bio Diesel, Gasoline-ethanol Mix, LPG & NG.

■ Texol Ultra S Range :

- SAE 10W30 API SN
- SAE 10W40 API SN
- SAE 10W30 API SL
- SAE 10W40 API SL

AVAILABLE PACKAGES





PETROL ENGINE OILS

MULTIGRADE - TEXOL ULTRA X

Texol® Multigrade engine oils meets the requirements of almost all the engines in passenger cars running on multiple fuels like Gasoline, Gasoline-ethanol Mix up to E85, LPG & NG. It is mainly suited for turbo charged, multi valve and direct injection engines, based on OEM recommendation.

■ Texol Ultra X Range :

- SAE 20W50 API SN
- SAE 20W50 API SL
- SAE 20W50 API SJ
- SAE 20W50 API SF



AVAILABLE PACKAGES



MONOGRADE - TEXOL ULTRA

Texol® Monograde engine oils are recommended for use in petrol and naturally aspirated petrol engines fitted to passenger cars. It provides excellent start-up performance and engine efficiency.

■ Texol Ultra Range :

- SAE 40 API SL
- SAE 50 API SL
- SAE 40 API SF
- SAE 50 API SF
- SAE 40 API SC
- SAE 50 API SC



AVAILABLE PACKAGES





DIESEL ENGINE OILS

FULLY SYNTHETIC - TEXOL SUPER DUTY MAX


Texol® Fully-Synthetic heavy-duty multi-grade diesel engine oils for use in the latest generation of high-speed 4-stroke diesel engines; specifically formulated for on-highway and off-highway applications. It complies with the low emission law besides meeting the low SAPS requirement of the latest diesel trucks.

■ Texol Super Duty Max Range :

- SAE 10W30 API CK-4
- SAE 10W40 API CK-4



AVAILABLE PACKAGES



SEMI SYNTHETIC - TEXOL SUPER DUTY S


Texol® Semi-Synthetic diesel engine oils are recommended for use in 4-stroke diesel engines. They are formulated using high performance detergent, dispersant, wear control and anti-oxidant additives with high quality base oils.

■ Texol Super Duty S Range :

- SAE 10W30 API CK-4
- SAE 10W30 API CI-4
- SAE 10W40 API CK-4
- SAE 10W40 API CI-4



AVAILABLE PACKAGES





DIESEL ENGINE OILS


MULTIGRADE - TEXOL SUPER DUTY PLUS

Texol® Multigrade diesel engine oil is a high performance crank case oil for diesel engines. It provides excellent high temperature properties, thermal stability, low volatility and good load carrying properties. Used extensively in all diesel engines running on low and high Sulphur diesels.

■ Texol Super Duty Plus Range :

- SAE 15W40 API CK-4
- SAE 15W40 API CI-4
- SAE 20W50 API CI-4
- SAE 15W40 API CF-4
- SAE 20W50 API CF-4

AVAILABLE PACKAGES




MONOGRADE - TEXOL SUPER DUTY

Texol® Monograde diesel engine oil is a high performance crank case oil for diesel engines. They are formulated using high performance detergent, dispersant, wear control and anti-oxidant additives with high quality base oils. It provides excellent high temperature properties, thermal stability, low volatility and good load carrying properties.

■ Texol Super Duty Range :

- SAE 40 API CF
- SAE 50 API CF
- SAE 40 API CD
- SAE 50 API CD

AVAILABLE PACKAGES





MOTORCYCLE OILS

4T SYNTHETIC OILS

Texol® 4T Synthetic oils are formulated to meet the requirements of motorcycles running on 4 stroke engines. It is ideal for standard motorbikes. Texol MCO are designed with advanced additives and base stocks to deliver outstanding riding experience in 4-stroke MCO as recommended by OEM's.

■ Texol 4T Synthetic Range :

- SAE 10W30 API SN JASO MA2
- SAE 10W40 API SN JASO MA2
- SAE 10W30 API SL JASO MA2
- SAE 10W40 API SL JASO MA2

AVAILABLE PACKAGES



4T MINERAL OILS

Texol® 4T Mineral oil is a high quality engine oil meeting the requirements of almost all the engines in passenger cars and motorcycles running on 4 stroke engines.

■ Texol 4T Mineral Range :

- SAE 20W40 API SN JASO MA2
- SAE 20W50 API SN JASO MA2
- SAE 20W40 API SL JASO MA
- SAE 20W50 API SL JASO MA

AVAILABLE PACKAGES





OUTBOARD OILS


2 STROKE OUTBOARD OILS

Texol® 2 Stroke oil SAE 30 API TC-W3 is a two-stroke gasoline engine oil specially blended to meet the technical requirements of several two-stroke engine manufacturers

■ Texol Outboard Oil Range :

- OUTBOARD API TC-W3

AVAILABLE PACKAGES



CNG OILS

TEXOL CNG OILS

Texol® CNG multipurpose, multi-grade engine oils are made to meet Gasoline, Diesel and CNG engine requirements. These oils are also recommended for high-speed, four-stroke gasoline engines needing low ash content.

■ Texol CNG Range :

- SAE 20W50 API SL/CF
- SAE 20W50 API SG/CD

AVAILABLE PACKAGES





ATF (AUTOMOTIVE TRANSMISSION FLUIDS)


SYNTHETIC ATF

Texol® Synthetic ATF's are very high-performance automatic transmission fluids (ATF) designed to provide good performance in a wide variety of new types of transmissions in service and commercial vehicles. It is made using very highly refined base oils and additives.

■ Texol ATF Synthetic Range :

- ATF DEX VI
- ATF CVT
- DCT Fluid
- ATF T-4

AVAILABLE PACKAGES



MINERAL ATF

Texol® Mineral ATF's are designed to provide good performance in a wide variety of regular and commercial duty automatic transmissions and torque converters, including General Motors and Ford transmissions of earlier types.

■ Texol ATF Mineral Range :

- DEX III
- DEX II
- ATF TYPE A

AVAILABLE PACKAGES





GEAR OILS


SYNTHETIC GEAR OILS

Texol® Synthetic gear oils are blended from synthetic base oils and advanced additives. These additives provide protection from wear, rust and oxidation. The extreme pressure additives based on Sulphur and Phosphorus chemistry resist high shock loads.

■ Texol Synthetic Gear Oils Range :

- SAE 75W90 API GL-5

AVAILABLE PACKAGES



MULTIGRADE GEAR OILS

Texol® Multigrade gear oils are made using high quality paraffinic lube base stocks and carefully selected gear oil additives. These additives provide protection from wear, rust and oxidation.

■ Texol Multigrade Gear Oils Range :

- SAE 80W90 API GL-5
- SAE 85W140 API GL-5
- SAE 80W90 API GL-4
- SAE 85W140 API GL-4

AVAILABLE PACKAGES





GEAR OILS


MONOGRADE GEAR OILS

Texol® Monograde gear oils are made using high quality paraffinic lube base stocks and carefully selected Gear Oil additives. These additives provide protection from wear, rust and oxidation. The extreme pressure additives based on Sulphur and Phosphorous chemistry resist high and shock loads and are free from Lead.

■ Texol Monograde Gear Oils Range :

- SAE 90 API GL-5
- SAE 140 API GL-5
- SAE 90 API GL-4
- SAE 140 API GL-4
- SAE 90 API GL-1
- SAE 140 API GL-1

AVAILABLE PACKAGES



COOLANTS

COOLANTS

Texol® Coolants are formulated with special chemical additives to provide a high degree of protection against corrosion for the metal and alloy components in the cooling system with specific reference to aluminum. It is harmless to rubber and does not foam or clog radiators.

■ Texol Coolants Range :

- Texol Coolant 33%
- Texol Coolant 50%
- Texol Coolant 100%

AVAILABLE PACKAGES





BRAKE FLUIDS


BRAKE FLUIDS

Texol® Brake Fluid's are a high quality, non-mineral fluid based on glycols and glycol ethers. It is formulated using special purpose additives such as anti-rust, anti wear and seal swell agents. It is used in the braking system of any motor vehicle such as passenger car, trucks, bus or trailer.

■ Texol Brake Fluids Range :

- BRAKE FLUID DOT 3
- BRAKE FLUID DOT 4

AVAILABLE PACKAGES



GREASES


GREASES

Texol® Greases are made using Lithium 12 hydroxy stearate soap and extreme pressure additive. These Grease are a multi-purpose and extreme pressure grease formulated to provide extra protection against wear, rusting, water washout and provide excellent load carrying ability.

■ Texol Greases Range :

- Texol Lithium Grease MP2
- Texol Lithium Grease EP3
- Texol Lithium Grease MP3
- Texol Lithium Complex Grease EP2
- Texol Lithium Grease EP2
- Texol Lithium Complex Grease EP3

AVAILABLE PACKAGES



TEXOL LABORATORY

- Texol Laboratory is the heart of our plant.
- Covering an area of 3,200 sq.ft., our lab is one of the best laboratories in UAE.



TEXOL APPROVALS AND CREDENTIALS

TEXOL Plant is ISO 9001:2015, 14001:2015, 45001:2018 certified




AFTON CHEMICAL

Statement of Quality

TEXOL SUPER DUTY PLUS SAE15W40 CJ4

We hereby confirm that engine oil **TEXOL SUPER DUTY PLUS SAE 15W40 CJ4** formulated **LSM-CLEVO-0** and blended with **Alkox Chemical 100 additive package M75K™, L2300** at **10.0-0.0** ratio meets the performance of:

MAN M272S

This statement is nullified if the manufacturer's recommended blending procedures have been changed.

By Afton Chemical Ltd.



Charlotte Edwards
Customer Technical Services

March 2023



(Afton Chemical Ltd.)
Lewes Road, Runcorn, Cheshire W61 2SR United Kingdom
Tel: 01942 810000 Fax: 01942 810001 Email: info@aftonchemical.co.uk
Email: info@aftonchemical.co.uk
Web: www.aftonchemical.co.uk



[illegible][illegible]



+971 6 512 3000



sales@texollubritech.com



www.texollubritech.com

Address: P.O.Box 50802, Hamriyah Free Zone, Phase 1, Sharjah, UAE