



# TEXOL

Molecular Engineering

LUBRICANTS & SPECIALITIES



## THE COMPANY

Texol Lubritech FZC is part of Gandhar Oil Refinery India Ltd. (GORIL) which is a 29 plus year-old group specialized in oil and petroleum products. The group has a turnover of USD 650 million and a staff strength of over 500 employees. GORIL has two manufacturing plants located at Taloja, Maharashtra & Silvassa (Union Territory) bordering the state of Gujarat in India.

Texol was founded in 2017 and operates a hybrid lube blending plant with an annual capacity of 200,000 MT.

Texol's product range includes high-performance Transformer Oils, White Oils, Heavy & Light Liquid Paraffin, Petroleum Jelly, Industrial & Automotive Lubricants, and Greases.

Texol markets its products globally through a network of authorized distributors in each country.





## TRANSFORMER OIL

Texol Transformer Oils are manufactured from carefully selected New Generation Base Oil with emphasis on product purity at every stage of refining. They have excellent cooling efficiency, long life, better insulation properties, reduced corrosive Sulphur and aromatic contents, can withstand extreme climatic conditions and are tested in independent laboratories of CPRI/ERDA/ LABROELEC.

**Manufactured to meet the following specifications:**

- IEC 296
- IEC 60296: 2021-02 Edition 4.0

**Texol range of Transformer Oil**

- Texol Powertex PU-20, IEC 296
- Texol Powertex PI-20, IEC 296
- Texol Powertex PU-60, IEC 60296
- Texol Powertex PI-60, IEC 60296
- Texol Powertex NU-60, IEC 60296
- Texol Powertex NI-60, IEC 60296







Texol offers a very wide range of lubricating oils, fluids and greases to meet the needs of the automobile industry from engine oils that help reduce wear & tear, extend engine life and improve fuel efficiency to gear oils for manual and synchromesh transmissions of automobiles and earth moving equipment, to shock absorber oils, brake fluids and lithium base greases with excellent structural, oxidation & thermal stability.

**Texol Automotive range includes:**

- Diesel Engine Oils API CF, CF4, CG4, CH-4, CI4, CJ-4, CK-4, FA-4
- Gasoline Engine Oils API SG, SJ, SL, SM, SN, SN Plus, dexos, SP
- Two Stroke Engine Oils API TC, JASO FB, JASO FC
- Motorcycle Oils SL, SN, JASO MA-2
- Automotive Gear Oils API GL4, GL5
- Transmission Fluids Dexron IID, III, IIH, VI, Ford Mercon, ZF, CVT, DCT
- Transmission Oil Allison C3,C4; Caterpillar TO-2, TO-4
- Tractor Oil – Combined Engine & Gear Oil
- Tractor Fluids – Combined Gear & Transmission Oils
- Brake Fluids DOT-3, DOT-4
- Pumpset Oils
- Greases – Chassis, Wheel-bearing, Multi-purpose.
- Coolants – 33%, 50%, 100%
- Marine, Natural Gas, Railroad Engine Oils.





Texol range of industrial oils and greases are designed to meet the specific requirements of various industries and operations be it general engineering, steel, textile, cement or sugar. Texol products are made to international quality.

Texol range includes:

#### **Industrial Oils**

- Hydraulic & Circulating Oils (R & O Type, Anti-wear Type, HLP Type, HVLP)
- Turbine Oils-Tailor-Made
- Compressor Oils - Rotary, Reciprocating
- High speed Spindle Oils
- General Purpose Machinery Oils
- Industrial Gear Box Oils
- Machine Tools Way Oils
- Air Tool Oils
- Steam Cylinder Oils
- Sugar Mill Roll Bearing
- Open Gear & Wire Rope Compounds
- Refrigeration Oils

#### **Metal Working Fluids**

- Neat Cutting Oils
- Honing Oils
- Eumulsifiable Cutting Coolants
- Synthetic Coolants
- Semi Synthetic Coolants
- Metal Drawing Compounds
- Spark Erosion Oils
- Rolling Oils

#### **Industrial Specialty Oils**

- Fire Resistant Hydraulic Oils
- Rust Preventives (Oil-based, Dry film, De-watering type)
- Heat Transfer Fluids
- Antistatic Oils
- Quenching & Tempering Oils
- Cable Oils & Compounds

- Ink Oils
- Glass Mould Oils
- Cement Mould Oils
- Cleaning Agents

#### **Industrial Greases**

- Multipurpose Greases
- Heavy Duty Bearing Greases
- High Temperature Greases
- Moly Greases








Texol range of mineral oils are severally refined hydro cracked/hydro-treated oils with the highest degree of purity and are stabilized with suitable additives for oxidation/ UV stability.

Texol's White Oils are suitable for pharmaceutical, cosmetic and industrial applications.

The WOP range not only conforms to international requirements but also surpass the current requirements of NF, US Pharmacopeia (USP), British Pharmacopeia (BP), European Pharmacopeia (EP) and Indian Pharmacopeia (IP).





## PETROLEUM JELLY

Texol® Petroleum Jelly are manufactured from blends of specially selected waxes and purified oils. This results in a highly pure product that has excellent emollient properties. Because of its purity it is widely used as a base for Ointments, Salves, Veterinary and Cosmetics applications. Texol® Petroleum Jelly complies with British Pharmacopoeia and US Pharmacopoeia.

Texol® Petroleum Jelly are available in the following grades.

- Texol White Petroleum Jelly 48
- Texol White Petroleum Jelly 50
- Texol White Petroleum Jelly 52
- Texol White Petroleum Jelly 54
- Texol Yellow Petroleum Jelly
- Tailor-made specifications





### **Texol Lubritech FZC**

P.O.Box 50802, Hamriyah Free Zone, Phase 1, Sharjah, UAE  
Contact: +971 6 512 3000 | Email: [sales@texollubritech.com](mailto:sales@texollubritech.com)  
[www.texollubritech.com](http://www.texollubritech.com)